

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	20	((("7260697") or ("20050125676") or ("20040027603") or ("20030115547") or ("6507911") or ("20020181134") or ("20020166067") or ("6314437") or ("6272678") or ("20010010065") or ("6256646") or ("5946699") or ("5860124") or ("5859977") or ("5819295") or ("5806078") or ("5481519") or ("5410676") or ("4974167") or ("4912637")).PN.	US-PGPUB; USPAT	OR	OFF	2008/09/24 14:23
L2	6	L1 and (BIO or protect\$10)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/24 14:23
L3	2	L1 and (BIO)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/24 14:30
L4	19933	((clean\$10 OR eras\$10 OR over\$2writ\$10 OR delet\$10 OR re\$2writ\$10) NEAR5 (program or software or method)) and (((predetermin\$10 or dummy) NEAR4 data) or ((serie or specified) NEAR3 (array or data)))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/24 16:46
L5	4260	((clean\$10 OR eras\$10 OR over\$2writ\$10 OR delet\$10 OR re\$2writ\$10) NEAR5 (program or software or method)) and ((((predetermin\$10 or dummy) NEAR4 data) or ((serie or specified) NEAR3 (array or data))) with (over\$2writ\$10 or re\$2writ\$10 or writ\$10))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/24 16:49

L6	6	((clean\$10 OR eras\$10 OR over\$2writ\$10 OR delet\$10 OR re\$2writ\$10) NEAR5 (program or software or method)) and ((((predetermin\$10 or dummy) NEAR4 data) or ((serie or specified) NEAR3 (array or data))) with (over \$2writ\$10 or re\$2writ\$10 or writ\$10)) and (destructive with analysis)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/24 16:50
L7	124	((clean\$10 OR eras\$10 OR over\$2writ\$10 OR delet\$10 OR re\$2writ\$10) NEAR5 (program or software or method)) and ((((predetermin\$10 or dummy) NEAR4 data) or ((serie or specified) NEAR3 (array or data))) with (over \$2writ\$10 or re\$2writ\$10 or writ\$10)) and 707/1,101,200,203-206. ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/24 16:51
L8	45	((clean\$10 OR eras\$10 OR over\$2writ\$10 OR delet\$10 OR re\$2writ\$10) NEAR5 (program or software or method)) and ((((predetermin\$10 or dummy) NEAR4 data) or ((serie or specified) NEAR3 (array or data))) with (over \$2writ\$10 or re\$2writ\$10 or writ\$10)) and 711/202,206. ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/24 16:52
L9	1	"10586198"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/24 16:58
L10	2	((("6519762") or ("7260697")).PN.	US-PGPUB; USPAT	OR	OFF	2008/09/24 16:58
L11	4	"20020116389".pn. or "20030208468".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/24 16:58

L12	2	((clean\$10 OR eras\$10) with (program or software or method)) and ((predetermin\$10 or dummy) with data) and (overwrit\$10 with number with time with repeat\$10) and (FAT or "file allocation table")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/24 16:58
L13	17	((clean\$10 OR eras\$10) with (program or software or method)) and ((predetermin\$10 or dummy) with data) and (overwrit\$10 with number with time with repeat\$10)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/24 16:58
L14	729	((clean\$10 OR eras\$10) with (program or software or method)) and ((predetermin\$10 or dummy) with data) and (FAT or "file allocation table")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/24 16:58
L15	2	"5481519".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/24 16:58
L16	378	((clean\$10 OR eras\$10 or over\$2writ\$10) NEAR5 (program or software or method)) and ((predetermin\$10 or dummy) NEAR4 data) and (FAT or "file allocation table")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/24 16:58
L17	67	((clean\$10 OR eras\$10 or over\$2writ\$10) NEAR5 (program or software or method)) and ((predetermin\$10 or dummy) NEAR4 data) and (FAT or "file allocation table") and ((clean\$10 OR eras\$10 or over\$2writ\$10) with (method or system or software or program)).ab.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/24 16:58

L18	165	((clean\$10 OR eras\$10 or over\$2writ\$10 or format\$10 or delet\$10) with (program or software or method)) and ((predetermin\$10 or dummy) NEAR4 data) and (FAT or "file allocation table") and ((format\$10 or delet\$10 or clean\$10 OR eras\$10 or over\$2writ\$10 or re\$2writ\$10) with (method or system or software or program)).ab.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/24 16:58
L19	3	(FAT area) same (data area) same cluster same partition	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/24 16:58
L20	3	((FAT OR "file allocation table") area) same (data area) same cluster same partition	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/24 16:58
L21	206	((FAT OR "file allocation table") NEAR2 area) same (data NEAR2 area) same cluster	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/24 16:58
L22	7	((FAT OR "file allocation table") NEAR2 area) same (data NEAR2 area) same cluster same distribut\$10	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/24 16:58
L23	59	((FAT OR "file allocation table") NEAR2 area) same (data NEAR2 area) same cluster same (distribut\$10 or divid\$10)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/24 16:58
L24	87	((maintain\$10 or stor\$10 or reserv\$10) with (version or previous) NEAR2 (data or file)) and (software management)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/24 16:58
L25	1	((maintain\$10 or stor\$10 or reserv\$10) with (version or previous) NEAR2 (data or file)) and (software management) and ((select\$10 or choos\$10) with (delet\$10 or over\$2writ\$10) with (version or previous))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/24 16:58

L26	1	((software management) and ((select\$10 or choos\$10) with (delet\$10 or over\$2writ\$10) with (version or previous)))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/24 16:59
L27	14	((software NEAR2 management) and ((select\$10 or choos\$10) with (delet\$10 or over\$2writ\$10) with (version or previous)))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/24 16:59
L28	2	software management area	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/24 16:59
L29	1	software management and (microprogram management)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/24 16:59
L30	1	((software management) and (microprogram management))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/24 16:59
L31	44	((software management) NEAR5 area	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/24 16:59
L32	252	((version NEAR5 (file or document)) and ((clean\$10 or eras\$10 or delet\$10 or format\$10 or over\$writ\$10) NEAR10 version)).ab.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/24 16:59
L33	101	((clean\$10 or eras\$10) with (data or file or document or program or method or system)).ti. and (version and ((previous or updat\$10) with (file or document or data)))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/24 16:59
L34	53	((clean\$10 or eras\$10) with (data or file or document or program or method or system)).ti. and ((fill\$10 or over\$2writ\$10 or re\$2writ\$10 or writ\$10) with (predetermin\$10 or dummy) data)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/24 16:59

L35	248	((disk NEAR wip\$10) or (data dump\$5)) same (Secur\$10 or prevent\$10 or protect\$10)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/24 16:59
L36	29	((disk NEAR wip\$10) or (data dump\$5)) same (Secur\$10 or prevent\$10 or protect\$10) same (writ \$10 or over\$2writ\$10 or re \$2writ\$10)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/24 16:59
L37	47	((disk NEAR wip\$10) or (data dump\$5)) same (Secur\$10 or prevent\$10 or protect\$10) same (writ \$10 or over\$2writ\$10 or re \$2writ\$10 or fill\$10)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/24 16:59
L38	135	(iteration NEAR10 overwrit \$10)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/24 16:59
L39	26	(number NEAR10 iteration NEAR10 overwrit\$10)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/24 16:59
L40	13	(number NEAR10 iteration NEAR10 overwrit\$10) and (format\$10 or clean\$10 or eras\$10)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/24 16:59
L41	88	(format\$10 or clean\$10 or eras\$10 or over\$2writ\$10 or re\$2writ\$10 or writ\$10) NEAR3 (number NEAR10 overwrit\$10) NEAR5 (sector or cluster)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/24 16:59
L42	11	(format\$10 or clean\$10 or eras\$10 or over\$2writ\$10 or re\$2writ\$10 or writ\$10) NEAR3 (number NEAR10 overwrit\$10) NEAR5 (sector or cluster) same secur\$10	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/24 16:59
L43	3	(maintain\$10 with (version and updat\$10) with (document or file or data)) and (delet\$10 with relat\$6 with version with (document or file or data))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/24 16:59

L44	5	((format\$10 or clean\$10 or eras\$10 or delet\$10 or over\$2writ\$10 or re\$2writ\$10 or writ\$10) NEAR3 (secur\$10) same ((version and related) with (file or document or data))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/24 16:59
L45	802	((format\$10 or clean\$10 or eras\$10 or delet\$10) NEAR3 (secur\$10) with (over\$2writ\$10 or re\$2writ\$10 or writ\$10)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/24 16:59
L46	358	((maintain\$10 or stor\$10 or reserv\$10 or group\$6 or cluster\$6) NEAR3 (version or previous or related) NEAR5 (data or file or document)) same ((version or software) NEAR2 management)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/24 16:59
L47	19	((maintain\$10 or stor\$10 or reserv\$10 or group\$6 or cluster\$6) NEAR3 (version or previous or related) NEAR5 (data or file or document)) same ((version or software) NEAR2 management) same area	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/24 16:59
L48	55	707/1,203.ccls. and ((maintain\$10 or stor\$10 or reserv\$10 or group\$6 or cluster\$6) NEAR3 (version or previous or related or updated) NEAR5 (data or file or document)) same ((version or software) NEAR2 management)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/24 16:59
L49	15	707/1,203.ccls. and ((maintain\$10 or stor\$10 or reserv\$10 or group\$6 or cluster\$6) NEAR3 (version or previous or related or updated) NEAR5 (data or file or document)) same ((version or software) NEAR2 management) and (delet\$10 with (related or version) with (file or object or document))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/24 16:59

L50	227	707/1,203.ccls. and ((maintain\$10 or stor\$10 or reserv\$10 or group\$6 or cluster\$6) NEAR3 (version or previous or related or updated) NEAR5 (data or file or document or object)) with (area or location)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/24 16:59
L51	189	707/1,203.ccls. and ((maintain\$10 or stor\$10 or reserv\$10 or group\$6 or cluster\$6) NEAR3 (version or previous or related or updated) NEAR5 (data or file or document or object)) NEAR5 (area or location)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/24 16:59
L52	1	707/1,203.ccls. and ((maintain\$10 or stor\$10 or reserv\$10 or group\$6 or cluster\$6) NEAR3 (version or previous or related or updated) NEAR5 (data or file or document)) same ((version or software) NEAR2 management) same (location or area) and (delet \$10 with (related or version) with (file or object or document))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/24 16:59
L53	9627	((previous or updated) NEAR2 (file or data or document)) WITH (cluster or FAT or location or area)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/24 16:59
L54	4597	((previous or updated) NEAR2 (file or data or document)) NEAR3 (cluster or FAT or location or area)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/24 16:59
L55	85	((previous and updated) NEAR2 (file or data or document)) NEAR3 (cluster or FAT or location or area)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/24 16:59
L56	7	automatically NEAR3 (run \$10 or start\$10 or execut \$10) NEAR3 (clean\$10) NEAR10 ((predetermined or period) NEAR3 time)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/24 16:59
L57	423	(run\$10 or start\$10 or execut\$10) NEAR3 (clean \$10) NEAR10 ((predetermined or period) NEAR3 time)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/24 16:59

L58	8	(run\$10 or start\$10 or execut\$10) NEAR3 (clean \$10 NEAR2 (program or software)) NEAR10 ((predetermined or period) NEAR3 time)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/24 16:59
L59	8	(run\$10 or start\$10 or execut\$10) NEAR3 (clean \$10 NEAR2 (program or software)) NEAR10 ((predetermined or period) NEAR3 (interval or time))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/24 16:59
L60	14	(run\$10 or start\$10 or execut\$10) NEAR3 ((format \$10 or eras\$10 or clean \$10) NEAR2 (program or software)) NEAR10 ((predetermined or period) NEAR3 (interval or time))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/24 16:59
L61	15	(run\$10 or start\$10 or execut\$10) NEAR3 ((format \$10 or eras\$10 or clean \$10) NEAR2 (program or software)) NEAR10 ((predetermined or period or interval) NEAR3 (interval or time))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/24 16:59
L62	7095	(run\$10 or start\$10 or execut\$10) NEAR3 (program or software) NEAR10 ((predetermined or period or interval) NEAR3 (interval or time))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/24 16:59
L63	3759	(run\$10 or start\$10 or execut\$10) NEAR3 (program or software) NEAR3 ((predetermined or period or interval) NEAR3 (interval or time))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/24 16:59
L64	20	((("7260697") or ("20050125676") or ("20040027603") or ("20030115547") or ("6507911") or ("20020181134") or ("20020166067") or ("6314437") or ("6272678") or ("20010010065") or ("6256646") or ("5946699") or ("5860124") or ("5859977") or ("5819295") or ("5806078") or ("5481519") or ("5410676") or ("4974167") or	US-PGPUB; USPAT	OR	OFF	2008/09/24 16:59

		("4912637").PN.				
L65	8	L1 and ((period or predetermin\$10) NEAR3 time)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/24 16:59
L66	1	L1 and virus	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/24 16:59
L67	130	(copy\$10 or load\$10 or copies) NEAR4 (operating system NEAR2 file) NEAR10 memory	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/24 16:59
L68	2	(copy\$10 or load\$10 or copies) NEAR4 (operating system NEAR2 file) NEAR10 memory NEAR4 before	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/24 16:59
L69	9	(copy\$10 or load\$10 or copies) NEAR4 ((operating or system) NEAR2 file) NEAR10 memory NEAR4 before	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/24 16:59
L70	10	((back\$2up or copy\$10 or load\$10 or copies) NEAR4 ((operating or system) NEAR2 file) NEAR10 memory NEAR4 before	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/24 16:59
L71	942	((back\$2up or copy\$10 or load\$10 or copies) NEAR4 ((operating or system) NEAR2 file) NEAR10 memory	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/24 16:59
L72	90	((back\$2up or copy\$10 or load\$10 or copies) ((operating or system) NEAR2 file) NEAR5 memory	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/24 16:59
L73	7	((back\$2up or copy\$10 or load\$10 or copies) ((operating or system) NEAR2 file) NEAR5 memory) with before	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/24 16:59
L74	3	((back\$2up or copy\$10 or load\$10 or copies) ((operating or system) NEAR2 file) NEAR5 memory) with updat\$10	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/24 16:59

L75	4	((back\$2up or copy\$10 or load\$10 or copies) ((operating or system) NEAR2 file) NEAR5 memory) with (updat\$10 or format\$10 or delet\$10 or eras\$10)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/24 16:59
L76	140	((back\$2up or copy\$10 or load\$10 or copies) ((operating or system) NEAR2 file)) with (updat\$10 or format\$10 or delet\$10 or eras\$10)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/24 16:59
L77	5	((back\$2up or copy\$10 or load\$10 or copies) ((operating or system) NEAR2 file)) with before NEAR5 (updat\$10 or format\$10 or delet\$10 or eras\$10)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/24 16:59
L78	10	((back\$2up or copy\$10 or load\$10 or copies) NEAR3 ((operating or system) NEAR2 file)) with before NEAR5 (updat\$10 or format\$10 or delet\$10 or eras\$10)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/24 16:59

9/ 24/ 2008 5:15:12 PM

C:\Documents and Settings\yzhao\My Documents\EAST\Workspaces\10586198.wsp